



## 2019 Ram ProMaster Cargo Van Price List and Order Form for Contract #156

**Napleton Fleet Group**  
**NWMC Suburban Purchasing Cooperative**  
 www.nwmc-cog.org

**Please contact Bob Barr at 630-455-2911 or [rbarr@napletonfleet.com](mailto:rbarr@napletonfleet.com)  
 prior to purchase order issuance and order placement.**

**Final Order Date for the 2019 Ram ProMaster is 5/2/19**

**Please check-mark the options needed:**

Code	Description	Class	SPC Contract Price
VF1L11	21A <b>ProMaster 1500 Base Cargo Van, 118" wb, Low Roof</b> 50 State Emissions Engine: 3.6L Gas V6 24V VVT Transmission: 6-Speed Automatic 62TE 3.86 Axle Ratio 4-wheel ABS and traction control Electronic stability control Air conditioning Power windows and locks with remote keyless entry Manual exterior mirrors 2 key fobs Cab area black vinyl floor covering Silver grille, dark gray front fascia and rear step bumper Back up camera GVWR: 8,550 lbs Includes Factory Destination Charge	Base Van	\$20,397
<input type="checkbox"/>	VF1L12 21A <b>Additional Cost to Upgrade Base Van to 1500 136" wb, Low Roof</b> (other specifications same as Base Van above)	OPT	1,869
<input type="checkbox"/>	VF1L13 21A <b>Additional Cost to Upgrade Base Van to 1500 136" wb, High Roof</b> (other specifications same as Base Van above)	OPT	2,403
<input type="checkbox"/>	VF2L13 21A <b>Additional Cost to Upgrade Base Van to 2500 136" wb, High Roof</b> GVWR: 8,900 lbs (other specifications same as Base Van above)	OPT	2,793
<input type="checkbox"/>	VF2L16 21A <b>Additional Cost to Upgrade Base Van to 2500 159" wb, High Roof</b> GVWR: 8,900 lbs (other specifications same as Base Van above)	OPT	4,395
<b>Tires &amp; Wheels:</b>			
<input type="checkbox"/>	TWA <b>Tires: LT225/75R16E BSW All Season</b>	STD	N/C
<input type="checkbox"/>	TU5 <b>Tires: LT225/75R16C BSW All Season</b>	STD	223

**Tires & Wheels (continued):**

	WCS	<b>Wheels: 16" x 6.0" Steel</b>	STD	N/C
<input type="checkbox"/>	WH8	<b>Wheel Center Cap Delete</b>	OPT	N/C
<input type="checkbox"/>	W6A	<b>16" Wheel Covers</b>	OPT	174
<input type="checkbox"/>	TBF	<b>Spare Tire Delete</b> Includes (XAH) Tire Sealant & Air Compressor	OPT	(27)
<input type="checkbox"/>	XAH	<b>Tire Sealant &amp; Air Compressor</b>	OPT	85

**Seating:**

	A7	<b>Cloth Bucket Seats</b>	STD	N/C
<input type="checkbox"/>	B7	<b>Vinyl Bucket Seats</b>	OPT	89
<input type="checkbox"/>	CDL	<b>Driver 6-Way Adjustable Lumbar Seat</b>	OPT	174
<input type="checkbox"/>	CDU	<b>Driver/Passenger 6-Way Adjustable Lumbar Seats</b>	OPT	218
<input type="checkbox"/>	CMB	<b>Heated Driver Seat</b> <i>Requires CDL or CDU</i>	OPT	174
<input type="checkbox"/>	CMC	<b>Heated Passenger Seat</b> <i>Requires CDU</i>	OPT	129
<input type="checkbox"/>	CD9	<b>Passenger Seat Delete</b> Deactivate Passenger Air Bag Delete Seat Belt Mount <i>Requires CDL</i>	OPT	(267)
<input type="checkbox"/>	CAA	<b>Passenger Double Seat</b> <i>Requires CDL</i>	OPT	352
<input type="checkbox"/>	CCK	<b>Front Slush Mat</b>	OPT	134

**Radio & Navigation:**

	UAA	<b>Radio: Uconnect 3 with 5" Touch Screen</b> Integrated Voice Command w/Bluetooth 4 Speakers GPS Antenna Input Media Input Hub Steering Wheel Mounted Audio Controls	STD	N/C
<input type="checkbox"/>	UAB	<b>Radio: Uconnect 3 Nav with 5" Touch Screen</b> Integrated Voice Command w/Bluetooth 4 Speakers GPS Antenna Input Media Input Hub Steering Wheel Mounted Audio Controls GPS Navigation	OPT	441
<input type="checkbox"/>	RSD	<b>SiriusXM Satellite Radio</b> Includes one year of service, renewable at customer expense	OPT	174

**Cargo Area:**

<input type="checkbox"/>	CKL	<b>Cargo Area Floor Mat</b>	OPT	294
<input type="checkbox"/>	LCP	<b>Cargo Area LED Lighting</b>	OPT	254
<input type="checkbox"/>	CWC	<b>Cargo Partition</b>	OPT	352
<input type="checkbox"/>	XJ1	<b>Cargo Partition with Sliding Window</b>	OPT	441
<input type="checkbox"/>	CSR	<b>Rear Assist Handles</b>	OPT	134

**Cargo Area (continued):**

<input type="checkbox"/>	HDG	Rear Heater - A/C Prep Package	OPT	129
<input type="checkbox"/>	CMG	Side Wall Paneling, Lower	OPT	174
<input type="checkbox"/>	CTE	Side Wall Paneling, Upper & Lower	OPT	263
<input type="checkbox"/>	XMF	Spray-On Floor Liner	OPT	761
<input type="checkbox"/>	CME	Wood Floor	OPT	396

**Functional:**

<input type="checkbox"/>	APA	Monotone Paint	STD	N/C
<input type="checkbox"/>	GXK	Two Additional Key Fobs (for total of four)	OPT	111
<input type="checkbox"/>	JKP	12V Rear Auxiliary Power Outlet	OPT	40
<input type="checkbox"/>	BAJ	220 Amp Alternator	OPT	263
<input type="checkbox"/>	HCD	Air Conditioning Delete	OPT	(165)
<input type="checkbox"/>	LHL	Auxiliary Switches	OPT	85
<input type="checkbox"/>	LMK	Daytime Running Headlamps	OPT	67
<input type="checkbox"/>	ACL	DOT Certified Roadside Safety Kit	OPT	174
<input type="checkbox"/>	NHK	Engine Block Heater	OPT	85
<input type="checkbox"/>	MDA	Front License Plate Bracket	OPT	N/C
<input type="checkbox"/>	AJV	Interior Convenience Group Locking Glove Box Shelf Above Roof Trim Underseat Storage Tray Cargo Net	OPT	307
<input type="checkbox"/>	GKS	Fixed Glass in Right Sliding Cargo Door	OPT	263
<input type="checkbox"/>	GLB	Fixed Glass in Rear Cargo Doors	OPT	263
<input type="checkbox"/>	GKE	Left Sliding Cargo Door, no Glass <i>Not available on VF1L11 1500 Base Van, 118" wb</i>	OPT	530
<input type="checkbox"/>	GKT	Left Sliding Cargo Door, with Fixed Glass <i>Not available on VF1L11 1500 Base Van, 118" wb</i>	OPT	708
<input type="checkbox"/>	JKP	Rear Auxiliary Power Outlet	OPT	40
<input type="checkbox"/>	GFA	Rear Window Defroster <i>Requires GLB Rear Cargo Door Glass</i>	OPT	174
<input type="checkbox"/>	MEP	Mud Flaps, Front and Rear	OPT	89
<input type="checkbox"/>	MKN	Splash Guards, Front and Rear	OPT	191
<input type="checkbox"/>	XAA	Rear Park Assist Sensors	OPT	263
<input type="checkbox"/>	GTR	Power Exterior Mirrors Heated glass	OPT	218
<input type="checkbox"/>	GTB	Power Wide Exterior Mirrors 96" Extended Exterior Mirror Heated glass	OPT	174

**Functional (continued):**

<input type="checkbox"/>	ALU	<b>Premium Appearance Group</b> Fog Lamps Chrome Grille	OPT	352
<input type="checkbox"/>	MDM	<b>Rear Bumper Step Extension</b> <i>Not available with AHT Trailer Tow Group</i>	OPT	423
<input type="checkbox"/>	JJL	<b>Remote Start</b>	OPT	467
<input type="checkbox"/>	LSA	<b>Security Alarm</b>	OPT	218
<input type="checkbox"/>	NHM	<b>Speed Control</b>	OPT	307
<input type="checkbox"/>	AHT	<b>Trailer Tow Group</b> Class IV Receiver Hitch 7 & 4 Pin Wiring Harness <i>Not available with MDM Rear Bumper Step Extension</i>	OPT	521

**Interior Color:**

AA	<b>Black</b>	STD	N/C
----	--------------	-----	-----

**Exterior Color:**

<input type="checkbox"/>	PW7	<b>Bright White Clearcoat (White Knuckle)</b>	OPT	N/C
<input type="checkbox"/>	PX8	<b>Black Clearcoat (Pitch Black)</b>	OPT	N/C
<input type="checkbox"/>	P67	<b>Broom Yellow</b>	OPT	N/C
<input type="checkbox"/>	PR4	<b>Flame Red Clearcoat</b>	OPT	N/C
<input type="checkbox"/>	PS2	<b>Bright Silver Metallic Clearcoat</b>	OPT	178
<input type="checkbox"/>	PRP	<b>Deep Cherry Red Crystal Pearlcoat</b>	OPT	178
<input type="checkbox"/>	PAU	<b>Granite Crystal Metallic Clearcoat</b>	OPT	178

**Delivery:**

<input type="checkbox"/>	Within 50 Miles of Dealership (zip code 60559)	STD	N/C
<input type="checkbox"/>	Greater than 50 miles from Dealership	OPT	175

**License and Title Options:**

<input type="checkbox"/>	No Plates (customer does L&T)	STD	STD
<input type="checkbox"/>	Temporary Tag provided by Napleton Fleet (customer does L&T)	OPT	-0-
<input type="checkbox"/>	Municipal Plates (Napleton Fleet does L&T for customer)	OPT	130
<input type="checkbox"/>	Municipal Police Plates (Napleton Fleet does L&T for customer)	OPT	130

**Service Information (Windows operating system only, not compatible with Mac):**

<input type="checkbox"/>	2018 Service Manual on CD	OPT	135
<input type="checkbox"/>	2019 Service Manual on CD (late availability)	OPT	135

Total Vehicle Cost with selected options ..... \$ \_\_\_\_\_

Municipality: \_\_\_\_\_

Contact Name: \_\_\_\_\_

Phone Number: \_\_\_\_\_

Email: \_\_\_\_\_

Date: \_\_\_\_\_

**2019 Model Year Final Order Date is 5/2/19**

**Fiat Chrysler Automobiles (FCA) Ram ProMaster Factory Warranty**

**Basic.....36 months/36,000 miles**

**Powertrain ....60 months/100,000 miles**

**Corrosion Perforation.....Outer Panels, 60 months**

**Roadside Assistance.....60 months/60,000 miles**

Please scan and email to [rbarr@napletonfleet.com](mailto:rbarr@napletonfleet.com) or print and fax to 630-530-0562

**Please contact Bob Barr prior to purchase order issuance and order placement.**

# 2019 RAM ProMaster 1500 Base Cargo Van 118" wb, Low Roof

## Standard Equipment

### Powertrain

- 3.6L V-6 DOHC SMPI 24 valve engine with variable valve control
- 180 amp alternator
- 700 amp 95 amp hours battery with run down protection
- Engine oil cooler, transmission oil cooler
- 6-speed electronic sequential shift control automatic transmission with overdrive, lock-up, driver selection
- Front-wheel drive
- Brake actuated limited slip differential, ABS & driveline traction control
- 3.86 axle ratio
- Stainless steel exhaust

### Steering and Suspension

- Hydraulic power-assist rack and pinion steering
- 4-wheel disc brakes with front and rear vented discs
- Electronic stability control with anti-roll
- Independent front suspension
- Front strut suspension
- Front anti-roll bar
- Front coil springs
- Gas-pressurized front shocks
- Rigid rear axle
- Rear leaf suspension
- Rear leaf springs
- Gas-pressurized rear shocks
- Front and rear 16.0" x 6.00" silver steel wheels with center caps
- LT225/75R16E BSW AS
- Underbody mounted full-size steel spare wheel

### Safety

- 4-wheel anti-lock braking system
- Advanced front air bags, supplemental front seat side air bags, supplemental side curtain front air bags
- Front height adjustable seatbelts with front pre-tensioners
- Immobilizer

### Comfort and Convenience

- Air conditioning
- AM/FM stereo, seek-scan, external memory control, 4 speakers, integrated roof antenna, radio steering wheel controls
- Wireless phone connectivity
- Power door locks with 2 stage unlock, key fob (all doors) keyless entry, tailgate/rear door lock included with power door locks
- One 12V DC power outlet, driver foot rest
- Analog instrumentation display includes tachometer, engine temperature gauge, exterior temp, systems monitor, trip computer, Trip odometer
- Warning indicators include oil pressure, engine temperature, battery, low oil level, low coolant, lights on, key, low fuel, low washer fluid, transmission fluid, lighting malfunction, door ajar, service interval, brake fluid, tire specific low tire pressure, brake pad wear
- Steering wheel with telescopic adjustment
- Power front windows with light tint, driver and passenger 1-touch down
- Variable intermittent front windshield wipers
- Day-night rearview mirror
- Interior lights include dome light with fade, front reading lights, illuminated entry
- Glove box, front cup holder, instrument panel bin, covered dashboard storage, driver and passenger door bins
- Cargo tie downs, cargo light

## Seating and Interior

- Seating capacity of 2
- Bucket front seats with fixed head restraints
- 4-way adjustable driver seat
- 4-way adjustable passenger seat
- Cloth faced front seats with vinyl back material
- Front cloth headliner, front vinyl/rubber floor covering, urethane gear shift knob

## Exterior Features

- Side impact beams, fully galvanized steel body material
- Gray body side molding, gray fender flares
- Black side window moldings
- Black door handles
- Gray grille
- Sliding passenger side cargo door, split swing-out rear cargo doors
- Trailer sway control
- Driver and passenger manual black convex spotter folding trailer outside mirrors with turn signal indicators
- Front and rear gray bumpers, with rear step
- Aero-composite halogen headlamps with multiple headlamps
- Cab clearance lights
- Clear coat monotone paint

## Dimensions and Capacities

Output.....	280 hp @ 6,400 rpm	Front axle capacity.....	4,600 lbs.
Torque.....	258 lb.-ft. @ 4,175 rpm	Rear axle capacity.....	5,250 lbs.
1st gear ratio.....	3.900	Towing capacity.....	5,100 lbs.
2nd gear ratio.....	2.690	Front legroom.....	38.8 "
3rd gear ratio.....	2.160	Front shoulder room.....	74.8 "
4th gear ratio.....	1.370	Length.....	195.4 "
5th gear ratio.....	.950	Body width.....	80.7 "
6th gear ratio.....	.650	Body height.....	88.7 "
Reverse gear ratio.....	3.040	Wheelbase.....	118.0 "
Curb weight.....	4,551 lbs.	Cab to axle.....	88.7 "
GVWR.....	8,550 lbs.	Axle to end of frame.....	40.0 "
Front GAWR Weight.....	4,630 lbs.	Front track.....	71.3 "
Rear GAWR Weight.....	5,004 lbs.	Rear track.....	70.5 "
Payload.....	3,990 lbs.	Turning radius.....	36.3 '
Front curb weight.....	2,920 lbs.	Fuel tank.....	24.0 gal
Rear curb weight.....	1,632 lbs.	Interior cargo volume.....	259.0 cu.ft.